



ATC8000Y

Product Features:

- 6.8-oz, 100% combed and RING SPUN cotton
- Ultra soft 30 single jersey
- Double needle cover stitch at sleeve and bottom hem

Youth sizes: XS(2-4), S(6-8), M(10-12), L(14-16), XL(18-20)

Icons/Fabric Features:



Available Colours and PMS Colours

Textile fabric colours are subject to dye lot variation and will not be exact match to print pantone reference



*95/5 cotton/viscose **65/35 polyester/cotton

Due to the nature of printed fabrics, special care must be taken throughout the printing process.

Due to the special nature of these vibrant colours (Extreme Pink & Extreme Yellow), please wash according to the wash instructions before wearing to avoid colour transfer.

ATC8000Y - ATC™ EUROSPUN® RING SPUN Youth Tee

GARMENT MEASUREMENTS

Size	XS	S	M	L	XL
Chest - <i>Half Measure</i>	16"	17"	18"	19"	20"
Chest - <i>Full Measure</i>	32"	34"	36"	38"	40"
Body Length from HPS	20 1/2"	22"	23 1/2"	25"	26 1/2"
Sleeve Length from CB	13 1/2"	14 1/2"	15 1/2"	16 1/2"	17 1/2"

Finished measurements in inches. Refer to "How to Measure" guide for detailed information on measurement instructions.

YOUTH General Sizing Guide

Size	XS	S	M	L	XL
Numeric Size	2-4	6-8	10-12	14-16	18-20
Chest	24"-26"	26"-28"	28"-30"	30"-32"	32"-35"
Waist	22 1/2"-23 1/2"	23"-24 1/2"	24 1/2"-25 1/2"	25 1/2"-27"	27"-29"
Sleeve Length-CB	24"-25"	25"-26"	26"-27 1/2"	27 1/2"-29"	29 1/2"-31"



DECORATION RECOMMENDATIONS FOR PRINTED FABRICS:

Due to the nature of printed fabrics, special care must be taken throughout the decoration process.

Here are some tips to effectively decorate printed fabrics:

Screen Printing Tips:

- Garment dyes may bleed through screen printed inks, especially when printing on top of print that contains red dye. Sublimation will be most noticeable when using white or light colour inks and may take 24-48 hours to occur.
- Use base blocker ink first (grey works best)
- Using low bleed poly ink is recommended
- Use coarse mesh
- Do not exceed recommended dryer temperature
- Check with your ink supplier for other tips

Heat Transfer Tips:

- Use of vinyl heat transfer may help minimize sublimation
- Use cover sheet/flexible application sheet to shield upper platen from sublimation dyes
- Do not exceed recommended temperature
- Check with your heat transfer supplier for other tips

A test sample run is recommended, especially if you have a large order or if your decorator does not specialize in printed fabrics.